

MATERIAL SAFETY DATA SHEET

According to 29 CFR 1910.1200(g)



Date Issued: 11/18/2009
MSDS No: 02000
Date-Revised: 08/30/2011
Revision No: 1

One Step Compound

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: One Step Compound
PRODUCT DESCRIPTION: ONE STEP COMPOUND
PRODUCT CODE: 02000
PRODUCT FORMULATION NAME: ONE STEP COMPOUND
GENERIC NAME: COMPOUND

MANUFACTURER

Auto Wax - An ITW Company
Body Magic
1275 Round Table Drive
Dallas, TX 75247

Emergency Phone: 1-(800)-826-0828

Transportation: 1-(800)-826-0828

Service Number: 1-(214)-631-4000

24 HR. EMERGENCY TELEPHONE NUMBERS

1-800-826-0828

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Harmful if swallowed.

POTENTIAL HEALTH EFFECTS

EYES: Moderately irritating to the eyes.

SKIN: Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

INGESTION: Harmful if swallowed.

INHALATION: Prolonged or excessive inhalation may cause respiratory tract irritation.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Eye contact may cause redness, tearing and a burning sensation.

ACUTE TOXICITY: May cause headaches and dizziness.

CHRONIC EFFECTS: not available

MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive exposure to skin.

ROUTES OF ENTRY: include skin contact, eye contact and ingestion

TARGET ORGAN STATEMENT: not established

CANCER STATEMENT: not established

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS	EINECS	Classification
Distillates (petroleum) hydrotreated light	1 - 15	64742-47-8	265-149-8	Xn; R65

(Full text of R-Phrases can be found under heading 16)

4. FIRST AID MEASURES

EYES: Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

SKIN: Wash with soap and water.

INGESTION: Do not induce vomiting. Seek medical attention immediately.

INHALATION: Move to fresh air

5. FIRE FIGHTING MEASURES**FLASHPOINT AND METHOD:** ~ 80°C TCC**FLAMMABLE LIMITS:** not available**AUTOIGNITION TEMPERATURE:** not established**EXTINGUISHING MEDIA:** use foam, dry chemical or carbon dioxide extinguisher**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Monoxide and Carbon Dioxide**EXPLOSION HAZARDS:** not established**FIRE FIGHTING PROCEDURES:** not established**SENSITIVE TO STATIC DISCHARGE:** none expected**SENSITIVITY TO IMPACT:** none expected**6. ACCIDENTAL RELEASE MEASURES****SMALL SPILL:** Contain and collect with absorbent**LARGE SPILL:** LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.**ENVIRONMENTAL PRECAUTIONS****WATER SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.**7. HANDLING AND STORAGE****GENERAL PROCEDURES:** Keep out of reach of Children.**STORAGE TEMPERATURE:** 4°C (40°F) Minimum to 35°C (95°F) Maximum**SHELF LIFE:** one year**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE GUIDELINES**

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)			
		EXPOSURE LIMITS	
		Supplier OEL	
Chemical Name		ppm	mg/m ³
Distillates (petroleum) hydrotreated light	TWA	300 ppm	2300 mg/m ³

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.**PERSONAL PROTECTIVE EQUIPMENT****EYES AND FACE:** Wear safety glasses with side shields or goggles.**SKIN:** Use Nitrile/ Vinyl gloves**RESPIRATORY:** NIOSH respirator -(organic vapor) in absence of proper environmental control.**PROTECTIVE CLOTHING:** Clean, body-covering clothing**9. PHYSICAL AND CHEMICAL PROPERTIES**

Chemical Name	Flash Point (°C)	Boiling Point (°C)	Specific Gravity
Distillates (petroleum) hydrotreated light	81	218	0.79

PHYSICAL STATE: Liquid**ODOR:** Cherry odor**APPEARANCE:** Grey liquid**pH:** 8.5 to 9.5**PERCENT VOLATILE:** Not Available**VAPOR PRESSURE:** Not Available

One Step Compound

FREEZING POINT: ~ (32°F)**FLASHPOINT AND METHOD:** ~ 80°C TCC**SOLUBILITY IN WATER:** Will mix with water**SPECIFIC GRAVITY:** ~ 1.400 at 25°C**VISCOSITY #1:** > 100 KU at 25°C**(VOC):** ~ 13.000 % by weight**10. STABILITY AND REACTIVITY****STABLE:** Yes**HAZARDOUS POLYMERIZATION:** No**11. TOXICOLOGICAL INFORMATION****ACUTE**

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)
Distillates (petroleum) hydrotreated light	> 5 g/Kg-rat	> 3.16 g/kg - rabbit

CARCINOGENICITY**IARC:** Listed by IARC- NO**NTP:** Listed by NTP- NO**OSHA:** Listed by OSHA- NO**SENSITIZATION:** not available**12. ECOLOGICAL INFORMATION****ENVIRONMENTAL DATA:** not available**ECOTOXICOLOGICAL INFORMATION:** not available**13. DISPOSAL CONSIDERATIONS****DISPOSAL METHOD:** Dispose in accordance with local, state, and federal laws.**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)****PROPER SHIPPING NAME:** NOT REGULATED**OTHER SHIPPING INFORMATION:** Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.**15. REGULATORY INFORMATION****UNITED STATES****TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA REGULATORY:** All Ingredients are on the TSCA Inventory or are not required to be listed on the TSCA Inventory**CANADA****WHMIS HAZARD SYMBOL AND CLASSIFICATION**

Toxic



Combustible Liquid

16. OTHER INFORMATION


RELEVANT R-PHRASES:R65- Harmful: may cause lung damage if swallowed.

PREPARED BY: Tony Casmus

REVISION SUMMARY: This MSDS replaces the 11/18/2009 MSDS.

HMIS RATING

HEALTH	-	1
FLAMMABILITY		2
PHYSICAL HAZARD		0
PERSONAL PROTECTION		

NFPA CODES

MANUFACTURER DISCLAIMER: The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.